UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/663,839	09/17/2003	Sung Uk Moon	242923US90	2705
	OBLON, SPIVAK, MCCLELLAND MAIER & NEUSTADT, P.C. 1940 DUKE STREET		EXAMINER	
1940 DUKE ST			WENDELL, ANDREW	
ALEXANDRIA	A, VA 22314		ART UNIT	PAPER NUMBER
		2618		
			NOTIFICATION DATE	DELIVERY MODE
			12/17/2007	ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

patentdocket@oblon.com oblonpat@oblon.com jgardner@oblon.com

		Application No.	Applicant(s)			
		10/663,839	MOON ET AL.			
	Office Action Summary	Examiner	Art Unit			
		Andrew Wendell	2618			
Period fo	The MAILING DATE of this communication app or Reply	ears on the cover sheet with the c	orrespondence address			
WHIC - Exte after - If NC - Failu Any	ORTENED STATUTORY PERIOD FOR REPLY CHEVER IS LONGER, FROM THE MAILING DATE of time may be available under the provisions of 37 CFR 1.13 SIX (6) MONTHS from the mailing date of this communication. O period for reply is specified above, the maximum statutory period were to reply within the set or extended period for reply will, by statute, reply received by the Office later than three months after the mailing ed patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tin will apply and will expire SIX (6) MONTHS from a cause the application to become ABANDONE	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).			
Status						
•	Responsive to communication(s) filed on <u>19 September 2007</u> .					
′=	This action is FINAL . 2b)⊠ This action is non-final.					
3)∟	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.					
	closed in accordance with the practice under E	x parte Quayle, 1935 C.D. 11, 4:	33 U.G. 213.			
Disposit	ion of Claims					
4)⊠)⊠ Claim(s) <u>1,3,5 and 7-10</u> is/are pending in the application.					
	4a) Of the above claim(s) is/are withdrawn from consideration.					
·	Claim(s) is/are allowed.					
· <u> </u>	Claim(s) <u>1,3,5 and 7-10</u> is/are rejected.					
•	Claim(s) is/are objected to.					
8)[_]	Claim(s) are subject to restriction and/or	r election requirement.				
Applicat	ion Papers					
9)[The specification is objected to by the Examine	r.				
10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner.						
	Applicant may not request that any objection to the					
	Replacement drawing sheet(s) including the correct	ion is required if the drawing(s) is ob	jected to. See 37 CFR 1.121(d).			
11)	The oath or declaration is objected to by the Ex	aminer. Note the attached Office	Action or form PTO-152.			
Priority (under 35 U.S.C. § 119					
•	Acknowledgment is made of a claim for foreign	priority under 35 U.S.C. § 119(a)-(d) or (f)			
•		priority and of o.c.o. 3 1 70(a	, (a) 5. (i).			
,	1.⊠ Certified copies of the priority documents have been received.					
	2. Certified copies of the priority documents		ion No			
	3. Copies of the certified copies of the prior					
	application from the International Bureau	(PCT Rule 17.2(a)).				
* (See the attached detailed Office action for a list	of the certified copies not receive	ed.			
Attachmer	nt(s)	_				
	ce of References Cited (PTO-892)	4) Interview Summary Paper No(s)/Mail D				
3) 🛛 Infor	ce of Draftsperson's Patent Drawing Review (PTO-948) mation Disclosure Statement(s) (PTO/SB/08) er No(s)/Mail Date	5) Notice of Informal F 6) Other:				

10/663,839 Art Unit: 2618

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 9/19/2007 has been entered.

Claim Rejections - 35 USC § 112

- The following is a quotation of the second paragraph of 35 U.S.C. 112:
 The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.
- 3. Claim 5 recites the limitation "response signal holder" in line 4. There is insufficient antecedent basis for this limitation in the claim.

Claim Rejections - 35 USC § 103

- 4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 5. Claims 1, 3, and 5 are rejected under 35 U.S.C. 103(a) as being unpatentable over Harel et al. (US Pat# 6,128,472) in view of Beckmann et al. (US Pat Appl# 2003/0022683).

10/663,839 Art Unit: 2618

Regarding claim 1, Harel teaches a radio communication system having base stations (Fig. 3) and mobile stations 106 (Fig. 1), to perform multicast communication (Col. 2 line 62-Col. 3 line 9), wherein the mobile station comprises a response signal transmitter configured to transmit a response signal including a group ID identifying a multicast group to the base station (Col. 4 lines 15-25), the response signal responding to a control signal for the multicast group which the mobile station is joining in (Col. 4 lines 15-25); and the base station comprises a response signal transmitter configured to transmit to the controller, one response signal selected from a plurality of response signals transmitted from mobile stations, the plurality of response signal including a same group ID identifying a same multicast group to which the mobile stations are requesting to join (Col. 2 line 62-Col. 3 line 9 and Col. 4 line 36-Col. 5 line 12, even though the one signal does not go to a radio network controller, the same principle applies since one message out of a plurality messages is transmitted to a controller). Harel fails to teach a radio network controller and mobile stations.

Beckmann et al. transmitting multicast messages in a radio system, and correspondingly designed radio system, transmitter and receiver teaches a radio communication system having a radio network controller RNC (Fig. 1), base stations BS (Fig. 1) and mobile stations UE 1-5 (Fig. 1), to perform multicast communication (Sections 0005-0006).

Therefore, it would have been obvious at the time of the invention to one of ordinary skill in the art at the time the invention was made to incorporate a radio network controller and mobile stations as taught by Beckmann et al. into Harel's multicast

Application/Control Number:

10/663,839 Art Unit: 2618

system in order to transmit multicast messages reliably and securely with little expenditure (Section 0004).

Regarding claim 3, Harel teaches a base station (Fig. 3) supporting multicast communication (Col. 2 line 62-Col. 3 line 9), the base station comprising a response signal transmitter configured to transmit, to a controller, one response signal responding to a control signal for a multicast group and selected from a plurality of response signals transmitted from mobile stations (Col. 2 line 62-Col. 3 line 9 and Col. 4 line 36-Col. 5 line 12, even though the one signal does not go to a radio network controller, the same principle applies since one message out of a plurality messages is transmitted to a controller), the plurality of response signal including a same group ID identifying a same multicast group to which the mobile stations are requesting to join (Col. 4 lines 15-25). Harel fails to teach a radio network controller and mobile stations.

Beckmann et al. teaches a base station BS (Fig. 1) and mobile stations UE 1-5 (Fig. 1), supporting multicast communication (Section 0064).

Regarding claim 5, Harel teaches a detector 108 and 110 (Fig. 3) configured to detect a first reception of the one response signal transmitted from the mobile stations106 (Fig. 1); and wherein the response signal holder holds the at least one response signal for a predetermined duration after the first reception of the one response signal (Col. 2 line 62-Col. 3 line 9 and Col. 4 line 36-Col. 5 line 12). Harel fails to teach a mobile station.

Beckmann et al. teaches mobile stations UE 1-5 (Fig. 1).

10/663,839 Art Unit: 2618

6. Claims 7-8 are rejected under 35 U.S.C. 103(a) as being unpatentable over Harel et al. (US Pat# 6,128,472) in view of Beckmann et al. (US Pat Appl# 2003/0022683) and further in view of Kall et al. (US Pat# 7,149,195).

Regarding claim 7, Harel in view of Beckmann teaches the limitations in claim 3.

Harel and Beckmann fail to teach a response signal counter.

Kall teaches a response signal counter configured to count the number of response signals to a control signal for a group, the response signals being transmitted from mobile stations (Col. 4 lines 8-19); a judger configured to judge whether the counted number of the plurality of response signals is more than a predetermined number or not (Col. 4 lines 8-19); and wherein the response signal transmitter configured to transmit at least one response signal to the controller, when the counted number of the plurality of response signals is more than the predetermined number (Col. 4 lines 8-19).

Therefore, it would have been obvious at the time of the invention to one of ordinary skill in the art at the time the invention was made to incorporate a response signal counter as taught by Kall into a radio network controller and mobile stations as taught by Beckmann et al. into Harel's multicast system in order to improve and efficient utilizations of radio resources (Col. 3 lines 25-27).

Regarding claim 8, Kall further teaches wherein the response signal transmitter notifies that the counted number of the plurality of response signals is more than the predetermined number, or the counted number of the plurality of response signals to the controller (Col. 4 lines 8-19).

10/663,839

Art Unit: 2618

7. Claims 9-10 are rejected under 35 U.S.C. 103(a) as being unpatentable over Harel et al. (US Pat# 6,128,472) in view of Kall et al. (US Pat# 7,149,195).

Regarding claim 9, Harel teaches a receiver 112 (Fig. 3) configured to receive a response signal transmitted from at least one base station, the response signal including a same group ID identifying a same multicast group to which the mobile stations are requesting to join (Col. 4 line 15-Col. 5 line 12); a extractor 112 (Fig. 3) configured to extract the information from the received response signal. Harel fails to teach response signals being more than a predetermined number and a radio network controller.

Kall teaches a receiver configured to receive response signals transmitted from base stations, the response signal including a same group ID identifying a same multicast group to which the mobile stations are requesting to join (Col. 5 line 65-Col. 6 line 19), and information showing that the number of received response signals is more than a predetermined number (Col. 4 lines 8-19); a extractor configured to extract the information from the received response signal (Col. 4 lines 8-19); and a radio controller 36 (Fig. 1) configured to perform radio controlling in communication in accordance with the extracted information.

Therefore, it would have been obvious at the time of the invention to one of ordinary skill in the art at the time the invention was made to incorporate response signals being more than a predetermined number and a radio network controller as taught by Kall into Harel's multicast system in order to improve and efficient utilizations of radio resources (Col. 3 lines 25-27).

Art Unit: 2618

Regarding claim 10, Harel teaches a receiver 112 (Fig. 3) configured to receive a response signal transmitted format at least one base station, the response signal including a same group ID identifying a same multicast group to which the mobile stations are requesting to join (Col. 4 line 15-Col. 5 line 12); a extractor 112 (Fig. 3) configured to extract the information from the received response signal. Harel fails to teach response signals being more than a predetermined number and a radio network controller. Harel fails to teach a response signal including the number of response signals transmitted from mobile stations and a radio controller.

Kall teaches a receiver configured to receive a response signal transmitted format at least one base station, the response signal including the number of response signals transmitted from mobile stations (Col. 4 lines 8-19) and including a same group ID identifying a same multicast group to which the mobile stations are requesting to join (Col. 5 line 65-Col. 6 line 19); a extractor 112 (Fig. 3) configured to extract the information from the received response signal (Col. 4 lines 8-19); and a radio controller 36 (Fig. 1) configured to perform radio controlling in multicast communication in accordance with the extracted number of response signals.

Response to Arguments

8. Applicant's arguments with respect to claims 1, 3, 5, and 7-10 have been considered but are most in view of the new ground(s) of rejection.

Page 8

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Andrew Wendell whose telephone number is 571-272-0557. The examiner can normally be reached on 7:30-5 M-F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nay Maung can be reached on 571-272-7882. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Examiner Art Unit 2618

11/27/2007